




**1 NORTH ELEVATION**  
 S3.1 1/8"=1'-0" PANEL THICKNESS = AS SHOWN



**3 WEST ELEVATION**  
 S3.1 1/8"=1'-0" PANEL THICKNESS = AS SHOWN



**4 EAST ELEVATION**  
 S3.1 1/8"=1'-0" PANEL THICKNESS = 8" UON



**2 TYPICAL PANEL REINFORCING**  
 S3.1 NO SCALE WP-04A

**KEYNOTES**

1. #4 @ 12" OC EA WAY EA FACE. SEE 6/S8.2
2. #4 @ 8" OC EA WAY EA FACE. SEE 6/S8.2
3. (6) #5 EA FACE EQ SPACED
4. 13" THICK PANEL
5. (8) #5 EA FACE EQ SPACED
6. (4) #5 EA FACE EQ SPACED
7. PILASTER PER 12/S8.2
8. SPANDREL PER 8/S8.2
9. #3 TIES PER 6/S8.2
10. 8" THICK PANEL
11. 18" THICK PANEL
12. STEP IN PANEL TO SUPPORT CMU WALL ABOVE. SEE 12/S8.5

**LEGEND**

RECESS IN PANEL PER ARCH - 5" MAX DEPTH

**PLAN NOTE**

- SEE 2/S3.1 FOR TYPICAL PANEL REINFORCING

**GROUP MACKENZIE**  
 Architecture  
 Interior Design  
 Land Use Planning  
 Civil Engineering  
 Structural Engineering  
 Transportation Planning  
 0690 SW Bancroft St / PO Box 69039  
 Portland, OR 97201-0039  
 Tel: 503.224.9560 / 360.695.7879  
 Fax: 503.228.1285



Project  
**BROADBAND FACILITY EXPANSION PHASE 2 AND 3**

**TROUTDALE, OREGON**



© GROUP MACKENZIE 2002  
 ALL RIGHTS RESERVED  
 THESE DRAWINGS ARE THE PROPERTY OF GROUP MACKENZIE AND ARE NOT TO BE USED OR REPRODUCED IN ANY MANNER, WITHOUT PRIOR WRITTEN PERMISSION

REVISIONS:

NO.	LAST REVISION THIS SHEET	REVISION EDITION CLOSING DATE
A	NONE	07/30/2002
B	19	08/12/2002
C	22	09/13/2002

SHEET TITLE:  
**PANEL ELEVATIONS**

FIRST ISSUED:  
 LAST ISSUED:  
 DRAWN BY:  
 CHECKED BY: JDA  
 SHEET:

**S3.1**

JOB NO. **990276.01**

INCLUDES REVISION C  
 ISSUED FOR BID 7/3/02